

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	ISSUE DATE	PATENT NO.	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/531,906	11/21/2006	7138363	HS/15-22771/A/PCT	3917

324 7590

CIBA SPECIALTY CHEMICALS CORPORATION
PATENT DEPARTMENT
540 WHITE PLAINS RD
P O BOX 2005
TARRYTOWN, NY 10591-9005

11/01/2006

## **ISSUE NOTIFICATION**

The projected patent number and issue date are specified above.

## Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(application filed on or after May 29, 2000)

The Patent Term Adjustment is 0 day(s). Any patent to issue from the above-identified application will include an indication of the adjustment on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571) 272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at (703) 305-8283.

APPLICANT(s) (up to 18 names are included below, see PAIR WEB site http://pair.uspto.gov for additional applicants):

Gunther Schlingloff, Riehen, SWITZERLAND; Torsten Wieprecht, Schopfheim, GERMANY; Uwe Heinz, Saarlouis, GERMANY; Albert Schneider, Grenzach-Wyhlen, GERMANY; Marie-Josee Dubs, Wittersdorf, FRANCE; Frank Bachmann, Freiburg, GERMANY; Menno Hazenkamp, Riehen, SWITZERLAND; Thomas Ehlis, Freiburg, GERMANY; Cornelia Vincenzi, Schopfheim, GERMANY; Josef Dannacher, Basel, SWITZERLAND;